


☆: Recommendation products

 : AEC-Q200 compliant. Please contact your local Chemi-Con office for more details, test data, information and also non indicated products.


CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

Digitalization Super Low ESR


RESIN-MOLDED SURFACE MOUNT TYPE



SURFACE MOUNT TYPE




RADIAL LEAD TYPE




CONDUCTIVE POLYMER HYBRID ALUMINUM ELECTROLYTIC CAPACITORS

Digitalization Super Low ESR Automotive Application

SURFACE MOUNT TYPE





RADIAL LEAD TYPE



ALUMINUM ELECTROLYTIC CAPACITORS


SURFACE MOUNT TYPE (CE32)




 : AEC-Q200 compliant. Please contact your local Chemi-Con office for more details, test data, information and also non indicated products. ☆: Recommendation products

ALUMINUM ELECTROLYTIC CAPACITORS


RADIAL LEAD TYPE



 : AEC-Q200 compliant. Please contact your local Chemi-Con office for more details, test data, information and also non indicated products.
☆: Recommendation products


ALUMINUM ELECTROLYTIC CAPACITORS

■ SNAP-IN TYPE



Automotive Application

■ SCREW-MOUNT TYPE



For Inverter

For Inverter

Product specifications in this catalog are subject to change without notice. Request our product specifications before purchase and/or use. Please use our products based on the information contained in this catalog and product specifications.